

DHI-ITC217PW1B-IRLZ

2MP Full HD WDR Network IR Access ANPR Camera



Features

- > High-performance 2 Mega CMOS Sensor
- > HD Image Resolution 1920(H)*1080(V)
- > Motorized lens 2.7-12mm, IR distance to 15m
- > Support plate Recognition (license plate and color)
- > Support two way vehicle snapshot (loop and video)
- > Support to embedded with white list inside the camera to control the barrier.
- > Support PoE, IP67

DHI-ITC217PW1B-IRLZ

Technical Specifications


Model		DHI-ITC217PW1B-IRLZ	
Camera			
Image Sensor		1/2.7" 2Megapixel progressive scan CMOS	
Effective Pixels		1920(H) x 1080(V)	
Scanning System		Progressive	
Electronic Shutter Speed		Auto/Manual, 1/3(4)~1/100000s	
Camera Features			
Max. IR LEDs Length		15m	
Day/Night		Auto(ICR) / Color / B/W	
Backlight Compensation		BLC / HLC /WDR(120dB)	
White Balance		Auto/Sunny/Night/Outdoor/Customized	
Gain Control		Auto/Manual	
Noise Reduction		3D	
Lens			
Focal Length		2.7mm~12mm	
Max Aperture		F1.4	
Focus Control		Motorized	
Lens Type		Motorized/ Auto Iris(DC)	
Mount Type		Board-in Type	
Video			
Compression		H.264/H.264H/H.264B/MJPEG	
Resolution		1080P(1920x1080)/1.3M(1280×960)/720P(1280×720)/D1(704×576 /704×480)/CIF(352×288/352×240)	
Frame Rate	Main Stream	1080P/720P(1 ~ 25/30fps)	
Audio			
Compression		G.711a/ G.711u/ AAC	
Interface		1/1 channel In/Out	
Smart Function			
Traffic Event		Video detection	
		Loop detection	
		License plate recognition	
		White list embedded, 10000 records, control the barrier opened.	
Network			
Ethernet		RJ-45 (10/100Base-T)	
ONVIF		ONVIF,PSIA,CGI	
Auxiliary Interface			
Memory Slot		Micro SD, Max 128GB	
Alarm		2/1 channel In/Out	
General			
Power Supply		DC12V, PoE (802.3af)	
Power Consumption		<11.5W (with IR on, motorized lens working)	

DHI-ITC217PW1B-IRLZ

Working Environment	-30°C~+60°C, Less than 95% RH
Ingress Protection	IP67
Dimensions	272.9 mm × 94.9mm× 94.9mm
Weight	1.1kg

DHI-ITC217PW1B-IRLZ

Dimensions (mm)



Dahua Technology Co., Ltd.

1199 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuasecurity.com

*Design and specifications are subject to change without notice.

© 2015 Dahua Technology Co., Ltd.