

DHI-VTO2111D-WP

1MP Wi-Fi Villa Outdoor Station



Technical Specification		
Mode	DHI-VTO2111D-WP	
System		
Main Processor	Embedded Micro Processor	
Operation System	Embedded LINUX OS	
Video		
Video Compression	H.264	
Image Sensor	1/4" 1MP CMOS	
Lens	2.2mm	
Angle of View	D:125° H:105°	
Day/Night	ICR	
Audio		
Audio Compression	G.711	
Audio Input	Omnidirectional Mic	
Audio Output	Built-in Speaker	
Bidirectional Talk	Support Dual-way Bidirectional talk	

U	per	ation	Mode

Keypad	Single Mechanical Button
Reader	Mifare Card
Body Approaching	1m

Interface

Door Control	$2(1\mbox{relay}$ out for main lock, $1\mbox{extended}$ by access control module)
Alarm In	2(1ch unlock button, 1ch feedback)
RS485	1

Network

IEEE802.11b/g

Features

- HD CMOS camera
- · Large field of view angle
- · Night vision
- · Voice indication
- \cdot Remote intercom with mobile APP
- · Surface mounted















Ethernet	10M/100Mbps Self-adaptive
Network Protocol	TCP/IP


General

Ingress Protection	IP65
ingress Protection	11 03
Tamper Switch	1
Memory Slot	Micro SD, Max 32G
Installation	Surface
Material	Plastic
Power	DC 12V,PoE(802.3af)
Power Consumption	Standby ≤1W, Work ≤10W
Working Environments	-30°C~+60°C
Relative Humidity	10%~90%RH
Dimensions	135mm×70.4mm×34.4mm
Weight	0.4Kg

Dimensions







Application

1 – Smart Doorbell

Call Mobile phone APP directly without indoor monitor



2 – Video Intercom

- Color video & audio call
- IPC surveillance
- Alarm integration
- Remote intercom with mobile APP

