

Customer	HIWATCH			HIKVISION First Choice for Security Professionals								
type	Family	Model Name	Recommendation	Pictures	NOTE	SAP Code	Resolution	Remark1	Remark2	Description	MSRP PLN	
Traditional CCTV	IPC	H.265+ HWI-B140H-M(2.8mm)			core	311303367	4MP	Bullet Outdoor	Metal	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 380	
Traditional CCTV	IPC	H.265+ HWI-B140H-M(4mm)				311303623	4MP	Bullet Outdoor	Metal	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 380	
Traditional CCTV	IPC	H.265+ HWI-B120H-M(2.8mm)			core	311303369	2MP	Bullet Outdoor	Metal	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 304	
Traditional CCTV	IPC	H.265+ HWI-B120H-M(4mm)				311303625	2MP	Bullet Outdoor	Metal	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 304	
Traditional CCTV	IPC	H.265+ HWI-B140H-Z(2.8mm)	Recommended			311303366	4MP	Bullet Outdoor	Metal&Plastic	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 352	
Traditional CCTV	IPC	H.265+ HWI-B140H(4mm)	Recommended			311303622	4MP	Bullet Outdoor	Metal&Plastic	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 352	
Traditional CCTV	IPC	H.265+ HWI-B120H-Z(2.8mm)				311303368	2MP	Bullet Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 276	
Traditional CCTV	IPC	H.265+ HWI-B120H(4mm)				311303624	2MP	Bullet Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 276	
Traditional CCTV	IPC	H.265+ HWI-D140H-M(2.8mm)			core	311303371	4MP	Dome Outdoor	Metal	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 399	
Traditional CCTV	IPC	H.265+ HWI-D140H-M(4mm)				311303628	4MP	Dome Outdoor	Metal	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 399	
Traditional CCTV	IPC	H.265+ HWI-D120H-M(2.8mm)			core	311303373	2MP	Dome Outdoor	Metal	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 323	
Traditional CCTV	IPC	H.265+ HWI-D120H-M(4mm)				311303629	2MP	Dome Outdoor	Metal	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 323	
Traditional CCTV	IPC	H.265+ HWI-D140H-Z(2.8mm)	Recommended			311303370	4MP	Dome Outdoor	Metal&Plastic	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 371	
Traditional CCTV	IPC	H.265+ HWI-D140H(4mm)	Recommended			311303626	4MP	Dome Outdoor	Metal&Plastic	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 371	
Traditional CCTV	IPC	H.265+ HWI-D120H-Z(2.8mm)				311303372	2MP	Dome Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 295	
Traditional CCTV	IPC	H.265+ HWI-D120H(4mm)				311303627	2MP	Dome Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 295	
Traditional CCTV	IPC	H.265+ HWI-T240H-Z(2.8mm)	Recommended		core	311303374	4MP	Turret Outdoor	Metal&Plastic	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 347	
Traditional CCTV	IPC	H.265+ HWI-T240H(4mm)	Recommended			311303630	4MP	Turret Outdoor	Metal&Plastic	4MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 347	
Traditional CCTV	IPC	H.265+ HWI-T220H-Z(2.8mm)			core	311303375	2MP	Turret Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 271	
Traditional CCTV	IPC	H.265+ HWI-T220H(4mm)				311303641	2MP	Turret Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 271	
Traditional CCTV	IPC	H.265+ HWI-B640H-V	Recommended			311303641	2MP	Turret Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 566	
Traditional CCTV	IPC	H.265+ HWI-B640H-Z	Recommended		core	311303376	4MP	Bullet Outdoor	Metal	4MP@20fps/H.265+H265H.264+4H.264L20dB WDR/30m RIP67/Motorized Vari-Focal lens/DC12V&PoE[TF card slot]Support mobile monitoring via Hik-Connect[Power supply no included]	PLN 618	
Traditional CCTV	IPC	H.265+ HWI-B620H-V				311303379	2MP	Bullet Outdoor	Metal	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/Manual Vari-Focal lens/DC12V&PoE[TF card slot]Support mobile monitoring via Hik-Connect[Power supply no included]	PLN 499	
Traditional CCTV	IPC	H.265+ HWI-B620H-Z			core	311303378	2MP	Bullet Outdoor	Metal	2MP@20fps/H.265+H265H.264+4H.264W/DR/30m RIP67/Motorized Vari-Focal lens/DC12V&PoE[TF card slot]Support mobile monitoring via Hik-Connect[Power supply no included]	PLN 552	
Traditional CCTV	IPC	H.265+ HWI-D640H-V	Recommended			311303381	4MP	Dome Outdoor	Metal	4MP@20fps/H.265+H265H.264+4H.264L20dB WDR/30m RIP67/Manual Vari-Focal lens/DC12V&PoE[TF card slot]Support mobile monitoring via Hik-Connect[Power supply no included]	PLN 566	
Traditional CCTV	IPC	H.265+ HWI-D640H-Z	Recommended		core	311303380	4MP	Dome Outdoor	Metal	4MP@20fps/H.265+H265H.264+4H.264L20dB WDR/30m RIP67/K10/Motorized Vari-Focal lens/DC12V&PoE[TF card slot]Support mobile monitoring via Hik-Connect[Power supply no included]	PLN 618	
Traditional CCTV	IPC	H.265+ HWI-D620H-V				311303383	2MP	Dome Outdoor	Metal	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10/Motorized Vari-Focal lens/DC12V&PoE[TF card slot]Support mobile monitoring via Hik-Connect[Power supply no included]	PLN 499	
Traditional CCTV	IPC	H.265+ HWI-D620H-Z			core	311303382	2MP	Dome Outdoor	Metal	2MP@25fps/H.265+H265H.264+4H.264W/DR/30m RIP67/K10/Motorized Vari-Focal lens/DC12V&PoE[TF card slot]Support mobile monitoring via Hik-Connect[Power supply no included]	PLN 552	
Traditional CCTV	IPC	H.265+ HWI-T641H-Z			core	/	4MP	Turret Outdoor	Metal&Plastic	4MP@20fps/H.265+H265H.264+4H.264L20dB WDR/30m RIP67/Motorized Vari-Focal lens/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 599	
Traditional CCTV	IPC	H.265+ HWI-T621H-Z			core	/	2MP	Turret Outdoor	Metal&Plastic	2MP@25fps/H.265+H265H.264+4H.264L20dB WDR/30m RIP67/Motorized Vari-Focal lens/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 533	
Traditional CCTV	IPC	H.264+ HWI-B120-M(2.8mm)			core	311303387	2MP	Bullet Outdoor	Metal	2MP@25fps/H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 276	
Traditional CCTV	IPC	H.264+ HWI-B120-M(4mm)				311303634	2MP	Bullet Outdoor	Metal	2MP@25fps/H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 276	
Traditional CCTV	IPC	H.264+ HWI-B120Z(2.8mm)	Recommended			311303386	2MP	Bullet Outdoor	Metal&Plastic	2MP@25fps/H.264+4H.264W/DR/30m RIP67/DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 247	

Traditional CCTV	IPC	H.264+ HWI-H120(4mm)	Recommended			311303632	2MP	Bullet Outdoor	Metal&Plastic	2MP@25fps@H.264+4H.264(WDR)30m IR@P67DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 247
Traditional CCTV	IPC	H.264+ HWI-D120-M2(8mm)			core	311303398	2MP	Dome Outdoor	Metal	2MP@25fps@H.264+4H.264(WDR)30m IR@P67K10(DC12V&PoE)[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 295
Traditional CCTV	IPC	H.264+ HWI-D120(2.8mm)	Recommended			311303397	2MP	Dome Outdoor	Metal&Plastic	2MP@25fps@H.264+4H.264(WDR)30m IR@P67K10(DC12V&PoE)[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 266
Traditional CCTV	IPC	H.264+ HWI-D120-M4(4mm)				311303638	2MP	Dome Outdoor	Metal	2MP@25fps@H.264+4H.264(WDR)30m IR@P67K10(DC12V&PoE)[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 295
Traditional CCTV	IPC	H.264+ HWI-T220(2.8mm)	Recommended		core	311303400	2MP	Turret Outdoor	Metal&Plastic	2MP@25fps@H.264+4H.264(WDR)30m IR@P67DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 243
Traditional CCTV	IPC	H.264+ HWI-T220(4mm)	Recommended			311303640	2MP	Turret Outdoor	Metal&Plastic	2MP@25fps@H.264+4H.264(WDR)30m IR@P67DC12V&PoE[Support mobile monitoring via Hik-Connect]Power supply no included	PLN 243
Traditional CCTV	IPC	H.264+ HWI-B621-V	Recommended			311303402	2MP	Bullet Outdoor	Metal	2MP@25fps@H.264+4H.264(WDR)30m IR@P67Manual Var-Focal lens[DC12V&PoE][TF card slot][Support mobile monitoring via Hik-Connect]Power supply no included	PLN 480
Traditional CCTV	IPC	H.264+ HWI-B621-Z	Recommended		core	311303401	2MP	Bullet Outdoor	Metal	2MP@25fps@H.264+4H.264(WDR)30m IR@P67Motorized Var-Focal lens[DC12V&PoE][TF card slot][Support mobile monitoring via Hik-Connect]Power supply no included	PLN 533
Traditional CCTV	IPC	H.264+ HWI-O620-Z	Recommended		core	/	2MP	Dome Outdoor	Metal	2MP@25fps@H.264+4H.264(WDR)30m IR@P67Motorized Var-Focal lens[DC12V&PoE][TF card slot][Support mobile monitoring via Hik-Connect]Power supply no included	PLN 571
Traditional CCTV	IPC	H.264+ HWI-T621-Z	Recommended		core	/	2MP	Turret Outdoor	Metal&Plastic	2MP@20fps@H.264+4H.264(120dB WDR)30m IR@P67K10(Motorized Var-Focal lens)[DC12V&PoE][Support mobile monitoring via Hik-Connect]Power supply no included	PLN 523
Traditional CCTV	PTZ	H.265+ HWP-P332Z-DE3				301312842	2MP*3 + 2MP	Indoor	Panorw	2MP + 2MP*310m IR12 Privacy masks	PLN 2 083
Traditional CCTV	PTZ	H.265+ HWP-N525H-AE	Recommended			301312718	2MP	150m IR IP66	25K	2MP[25X]120dB WDR150m IR@P66(Auto-Tracking)12VDC&4-PoE[24 Privacy Masks	PLN 1 988
Traditional CCTV	PTZ	H.265+ HWP-N4215H-DE	Recommended			301312721	2MP	100m IR IP66	15X	2MP[25X]120dB WDR100m IR@P66(12VDC&HPoE+124 Privacy Masks	PLN 1 379
Traditional CCTV	PTZ	H.265+ HWP-N4215H-DE3	Recommended			301312720	2MP	Indoor	15X	2MP[15X]120dB WDR12VDC&HPoE+124 Privacy Masks	PLN 1 284
Traditional CCTV	PTZ	H.265+ HWP-N2404H-DE			core	301313173	4MP	15m IR IP66	4X	4MP[4X]120dB WDR15m IR@P66(12VDC&HPoE+124 Privacy Masks	PLN 808
Traditional CCTV	PTZ	H.265+ HWP-N2204H-DE			core	301313174	2MP	15m IR IP66	4X	2MP[4X]120dB WDR15m IR@P66(12VDC&HPoE+124 Privacy Masks	PLN 713
Traditional CCTV	NVR	H.265+ HWN-4104MH	Recommended			303607737	8 4K or 4-ch @ 5	4 ch	1 HDD	4-ch[H.265+2MP]1 SATA	PLN 400
Traditional CCTV	NVR	H.265+ HWN-4104MH-4P				303607741	8 4K or 4-ch @ 5	4 ch	1 HDD	4-ch[H.265+2MP]1 SATA[4 PoE	PLN 605
Traditional CCTV	NVR	H.265+ HWN-4108MH	Recommended			303607742	8 4K or 4-ch @ 5	8 ch	1 HDD	8-ch[H.265+2MP]1 SATA	PLN 441
Traditional CCTV	NVR	H.265+ HWN-4108MH-8P			core	303607743	8 4K or 4-ch @ 5	8 ch	1 HDD	8-ch[H.265+2MP]1 SATA[8 PoE	PLN 810
Traditional CCTV	NVR	H.265+ HWN-4116MH	Recommended		core	303607745	8 4K or 4-ch @ 5	16 ch	1 HDD	16-ch[H.265+2MP]1 SATA	PLN 513
Traditional CCTV	NVR	H.265+ HWN-4208MH				303607747	8 4K or 4-ch @ 5	8 ch	2 HDD	8-ch[H.265+2MP]2 SATA	PLN 544
Traditional CCTV	NVR	H.265+ HWN-4208MH-8P				303607748	8 4K or 4-ch @ 5	8 ch	2 HDD	8-ch[H.265+2MP]2 SATA[8 PoE	PLN 902
Traditional CCTV	NVR	H.265+ HWN-4216MH	Recommended			303607749	8 4K or 4-ch @ 5	16 ch	2 HDD	16-ch[H.265+2MP]2 SATA	PLN 615
Traditional CCTV	NVR	H.265+ HWN-4216MH-16P				303607750	8 4K or 4-ch @ 5	16 ch	2 HDD	16-ch[H.265+2MP]2 SATA[16 PoE	PLN 1 231
Traditional CCTV	NVR	H.265+ HWN-2104MH				303608008	8 1080P or 1-ch @ 5	4 ch	1 HDD	2-ch 2MP or 1-ch 4MP[H.265+1] SATA	PLN 267
Traditional CCTV	NVR	H.265+ HWN-2104MH-4P				303608012	8 1080P or 1-ch @ 5	4 ch	1 HDD	2-ch 2MP or 1-ch 4MP[H.265+1] SATA[4 PoE	PLN 451
Traditional CCTV	NVR	H.265+ HWN-2108MH				303608010	8 1080P or 1-ch @ 5	8 ch	1 HDD	2-ch 2MP or 1-ch 4MP[H.265+1] SATA	PLN 328
Traditional CCTV	NVR	H.265+ HWN-2108MH-8P				303608014	8 1080P or 1-ch @ 5	8 ch	1 HDD	2-ch 2MP or 1-ch 4MP[H.265+1] SATA[8 PoE	PLN 636
Traditional CCTV	IPC	H.265+ HWI-B121H-M				311305203	2MP	2.8mm	Metal	1/2.8" Progressive CMOS, ICR, 1920x1080-25fps(P)/30fps(N), H.265H.264+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect "power supply no included	PLN 276
Traditional CCTV	IPC	H.265+ HWI-B121H-M				311305709	2MP	4mm	Metal	1/2.8" Progressive CMOS, ICR, 1920x1080-25fps(P)/30fps(N), H.265H.264+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect "power supply no included	PLN 276
Traditional CCTV	IPC	H.265+ HWI-B121H				311305202	2MP	2.8mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080-25fps(P)/30fps(N), H.265H.264+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect "power supply no included	PLN 247
Traditional CCTV	IPC	H.265+ HWI-B121H				311305735	2MP	4mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080-25fps(P)/30fps(N), H.265H.264+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect "power supply no included	PLN 247
Traditional CCTV	IPC	H.265+ HWI-D121H-M				311305205	2MP	2.8mm	Metal	1/2.8" Progressive CMOS, ICR, 1920x1080-25fps(P)/30fps(N), H.265H.264+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect "power supply no included	PLN 295
Traditional CCTV	IPC	H.265+ HWI-D121H-M				311305714	2MP	4mm	Metal	1/2.8" Progressive CMOS, ICR, 1920x1080-25fps(P)/30fps(N), H.265H.264+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect "power supply no included	PLN 295

Traditional CCTV	IPC	HWI-D121H				311305204	2MP	2.8mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080/25fps(P/30fps(N), H.265+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect *power supply no included	PLN 266
Traditional CCTV	IPC	HWI-D121H				311305737	2MP	4mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080/25fps(P/30fps(N), H.265+4H.264+4H.264, 3D DNR, BLC, DC12V & PoE.Support mobile monitoring via Hik-Connect *power supply no included	PLN 266
Traditional CCTV	IPC	HWI-T221H				311305206	2MP	2.8mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080/25fps(P/30fps(N), H.265+4H.264+4H.264, 3D DNR, BLC, DC12V & PoE. Support mobile monitoring via Hik-Connect *power supply no included	PLN 247
Traditional CCTV	IPC	HWI-T221H				311305710	2MP	4mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080/25fps(P/30fps(N), H.265+4H.264+4H.264, 3D DNR, BLC, DC12V & PoE. Support mobile monitoring via Hik-Connect *power supply no included	PLN 247
Traditional CCTV	PTZ	HWP-N1400H-DE3				301314147	4MP			1/3" CMOS,H.265+H.265+H.264+H.264 code-, 3D DNR, ICR,Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Digital Zoom:16X, 2560 × 1440/30fps, Pan range:0°~330°, Tilt range: 0°~90°(Auto Flip), Pan Speed: 0.1°~100°/s, Tilt Speed: 0.1°~100°/s, 15m IR, POE&12VDC	PLN 666
Traditional CCTV	PTZ	HWP-N1400H-DE3				301314148	4MP			1/3" CMOS,H.265+H.265+H.264+H.264 code-, 3D DNR, ICR,Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Digital Zoom:16X, 2560 × 1440/30fps, Pan range:0°~330°, Tilt range: 0°~90°(Auto Flip), Pan Speed: 0.1°~100°/s, Tilt Speed: 0.1°~100°/s, 15m IR, POE&12VDC	PLN 666
Traditional CCTV	PTZ	HWP-N1200H-DE3				301314145	4MP			1/3" CMOS,H.265+H.265+H.264+H.264 code-, 3D DNR, ICR,Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Digital Zoom:16X, 1920 × 1080/30fps, Pan range:0°~330°, Tilt range: 0°~90°(Auto Flip), Pan Speed: 0.1°~100°/s, Tilt Speed: 0.1°~100°/s, 15m IR, POE&12VDC	PLN 599
Traditional CCTV	PTZ	HWP-N1200H-DE3				301314146	4MP			1/3" CMOS,H.265+H.265+H.264+H.264 code-, 3D DNR, ICR,Color: 0.005lux/F1.6, B/W:0.001lux/F1.6, Digital Zoom:16X, 1920 × 1080/30fps, Pan range:0°~330°, Tilt range: 0°~90°(Auto Flip), Pan Speed: 0.1°~100°/s, Tilt Speed: 0.1°~100°/s, 15m IR, POE&12VDC	PLN 599
Traditional CCTV	IPC	HWI-B821-V(B)(2.8-12mm)				311305719	2MP	2.8-12mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080/25fps(P/30fps(N), H.264+4H.264, 3D DNR, BLC, DC12V & PoE, Support mobile monitoring via Hik-Connect *power supply no included -V: manual vari-focal lens, -Z: motorized vari-focal lens	PLN 480
Traditional CCTV	IPC	HWI-B821-Z(B)(2.8-12mm)				311305726	2MP	2.8-12mm	Metal&Plastic	1/2.8" Progressive CMOS, ICR, 1920x1080/25fps(P/30fps(N), H.264+4H.264, 3D DNR, BLC, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -V: manual vari-focal lens, -Z: motorized vari-focal lens	PLN 533
Traditional CCTV	IPC	HWI-D620-V(2.8-12mm)				311304569	2MP	2.8-12mm	Metal	1/2.8" Progressive CMOS, ICR, 1920x1080/25fps(P/30fps(N), H.264+4H.264, 3D DNR, BLC, DC12V & PoE, TF card slot, Support mobile monitoring via Hik-Connect *power supply no included -V: manual vari-focal lens, -Z: motorized vari-focal lens	PLN 509
Traditional CCTV	PTZ	HWP-N4225H-DE				301312719	2MP	25X		1/2.8" Progressive CMOS, 1920x1080/25fps(P/30fps(N),25X, Color:0.005Lux@F1.6, B/W:0.001Lux@F1.6, H.265+4H.265, IP66, 120dB WDR, IR:100m,12 VDC & PoE+, 24 privacy masks	PLN 1 617
Traditional CCTV	PTZ	HWP-N2404H-DE3				301313173	4MP	4X		1/2.8" Progressive CMOS, 2560x1440/25fps(P/30fps(N),0.4X, Color:0.005Lux@F1.6, B/W:0.001Lux@F1.6, H.265+4H.265, IP66, K10, 120dB WDR(20fps), IR: 20m,12 VDC & PoE+, 24 privacy masks	PLN 704
Traditional CCTV	PTZ	HWP-N2204H-DE3				301313174	2MP	4X		1/2.8" Progressive CMOS, 1920x1080/25fps(P/30fps(N),0.4X, Color:0.005Lux@F1.6, B/W:0.001Lux@F1.6, H.265+4H.265, IP66, K10, 120dB WDR, IR: 20m, 12 VDC & PoE+, 24 privacy masks	PLN 647